PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

<u> </u>			<u> </u>							
Applicant's or agent's file reference	FOR FURTHER AC	TION See Fo	orm PCT/IPEA/416							
•••										
International application No. International filing date (d			nty date (day/month/year)							
PCT/BE2004/000112	04.08.2004	08.0	08.2003							
International Patent Classification (IPC) or A61F556	national classification and IP	Ċ .								
		,								
Applicant NELISSEN, Jozef Frans										
This report is the international p Authority under Article 35 and tr	reliminary examination repransmitted to the applicant	oort, established by this Inter- according to Article 36.	national Preliminary Examining							
2. This REPORT consists of a total										
3. This report is also accompanied										
1	a. Sent to the applicant and to the International Bureau) a total of 3 sheets, as follows:									
sheets of the description and/or sheets contains	The second secon									
☐ sheets which supers beyond the disclosu Supplemental Box.	sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the									
sequence listing and/or t										
4. This report contains indications	relating to the following ite	ems:	•							
☑ Box No. I Basis of the o	☑ Box No. I Basis of the opinion									
☐ Box No. II Priority	•									
☐ Box No. III Non-establish	nment of opinion with rega	rd to novelly, inventive step and industrial applicability								
☐ Box No. IV Lack of unity										
☐ Box No. V Reasoned strapplicability;	and the second s									
☐ Box No. VI Certain docu	ments cited		*							
Box No. VII Certain defec	ts in the international appl	Ication								
☐ Box No. VIII Certain obse										
Date of submission of the demand		Date of completion of this repo	prt							
08.06.2005		07.11.2005								
Name and mailing address of the interna	tional	Authorized Officer	and the Both trade							
preliminary examining authority: European Patent Office - F NL-2280 HV Rijswijk - Pay Tel. +31 70 340 - 2040 Tx: Fax: +31 70 340 - 3016	P.B. 5818 Patentlaan 2	Germano, A Telephone No. +31 70 340-4202								
	** ** * *** * *** * * * * * * * * * *		41 - 17 - 17 - 17 - 17 - 17 - 17 - 17 -							

Form PCT/PEA/409 (Cover Sheet) (January 2004)

P.51

. .

10/567372 IAP9 Rec'd PCT/PTO 07 FEB 2006

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/BE2004/000112

												·
	Box	No. I	Basis of	the report								
1.	With filed	th regard to the language, this report is based on the international application in the language in which it was d, unless otherwise indicated under this item.										
	Ö	which Inte	is the languernational solication of	uage of a telearch (und the interna	slations fron ranslation fu der Rules 12 tional applic examination	irnished f 2.3 and 23 cation (un	or the purp 3.1(b)) der Rule 1	ooses of:		g languag	θ,	
2. With regard to the elements" of the international application, this report is based on (replacement have been furnished to the receiving Office in response to an invitation under Article 14 are referred as "originally filed" and are not annexed to this report):								ment she referred to	ets which o in this			
			D							•		
		cription	ı, Pages			المطا						
	1-8				as originally	y nied						
	Clai	ms, Nu	mbers	•								
	1-11]			filed with te	letax on 0	8.06.2005	*		٠		
												•
	Drawings, She		Sheets									
	1/6-	6 <i>/</i> 6			as originall	y filed						
		a seq	uence listir	ng and/or a	ny related ta	able(s) - s	ee Supple	emental Bo	x Relatin	g to Seque	ence Listi	ng
3.	Ø	The a	mendment	s have res	ulted in the	cancellat	ion of:		•		٠, ٠	
			e description		•							
			e claims, N e drawings	os. 1∠ , sheets/fig	s							
		□ the	e sequence	e listing (sp	<i>ecify)</i> : equence lis	tina <i>(spec</i>	cify):					
			•							.1.1		براد مامین
4.	had	d not be	een made.	been estab since they Rule 70.2(d	lished as if have been :)).	(some of) considere	the amered to go be	idments are eyond the	nexed to disclosure	this repore as filed,	n and liste as indicat	ed in the
			e descriptione e claims, N					•				
		□ the	e drawings	, sheets/fig								
				e listing <i>(s)</i>	<i>pecify)</i> : sequence lis	ting (ene	cifu):			÷		
			• • •						. ha ma-	arod War	norgado	.a "
	#	If i	tem 4 ap	plies, s	some or a	II Of t	nese sh	еся тау	pe mai	rea Bu	rer sede	~ .

Form PCT/IPEA/409 (January 2004)

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/BE2004/000112

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

1-11

Inventive step (IS)

es: Claims

Claims

1-11

No: Claims

Industrial applicability (IA)

Yes: Claims

1-11

No: Claims

No:

2. Citations and explanations (Rule 70.7):

see separate sheet

Box No. VII Certain defects in the international application

The following defects in the form or contents of the international application have been noted:


+32,3 2135965

see separate sheet

Box No. VIII Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

see separate sheet



INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/BE2004/000112

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

- 1. The document US-A-5 868 138, see figs 3,7,9-12 and col. 5, line 52 to col. 6, line 27, is regarded as being the closest prior art to the subject-matter of claim 1, and shows (the references in parentheses applying to this document, the wording corresponds to the wording of claim 1):
 - "a device for treating breathing problems (20), comprising a shaped part (32) fitting onto the teeth of the lower jaw, a shaped part (28) fitting onto the teeth of the upper jaw, and adjustable connecting means (40) between the upper (28) and lower (32) shaped part for forward/backward (apertures 68, see fig.7) and upward/downward (stylus 46, see fig 7 and description, col. 6, lines 28-30, fig. 11 etc.) adjustment of the upper shaped part (28) relative to the lower shaped part (32), wherein one of the shaped parts (28) is provided at the front with a slide mechanism (48) consisting of a slide element (48) which is slidable laterally to a limited extent along a guide element (50), and that the adjustable connecting means (40) are fixedly connected to the other shaped part (28) on one side (thread 46) and to the slide element (50) on the other (48).
- 1.1 The subject-matter of the claim differs from this disclosure in that the adjustable connecting means comprise a horizontal adjusting screw for forward/backward adjustment of the one shaped part relative to the other, which horizontal adjusting screw coacts on one other end with a threaded passage mounted on the slide element, said screw being connected by means of a connecting piece with the adjustable connection means for the upward/downward adjustment.
 - In view of said difference the subject-matter of claim 1 is new and meets the requirements of Art. 33(2) PCT.
- 1.2 The above mentioned features in combination permit the precise adjustment of the device in both the forward/backward and upward/downward direction. This combination of features does not appear to be fairly disclosed for the same purpose in the available prior art.

Form PCT/Separate Sheet/409 (Sheet 1) (EPO-January 2004)



INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/BE2004/000112

Therefore claim 1 involves an inventive step and meets the requirements of Art. 33(3) PCT.

- 1.3 The device described in claim 1 is industrially manufacturable. Therefore claim 1 meets the requirements of Art. 33(4) PCT as well.
- 2. Claims 2 to 11 depend from claim 1 and in view of that and insofar as claim 2 can be understood (see Item VIII) meet the requirements of Art. 33(2), (3) and (4) PCT.

Re Item VII

Certain defects in the international application

- Contrary to the requirements of Rule 5.1(a)(ii), the description does not acknowledge
 the document disclosing the closest prior art (see US-A-5 868 138) and briefly
 resume it.
- 4. The description should disclose the invention as claimed. Therefore the application does not comply with the requirements of Rule 5.1(a)(ii)

Re Item VIII

Certain observations on the international application

- 5. The wording of claim 2 is not clear, Art. 6 PCT. In particular the meaning of the references "closely sized" is ambiguous. The relative terms of said reference do not define a technical limitation of the subject-matter of the claim.
- 6. Claim 4 refers to a feature of claim 3 which is not defined in the previous claims 1 and 2. Thus claim 4 could only be appendent to claim 3 and not to claims 1 and 2. This inaccuracy involves a lack of clarity, Art. 6 PCT. Moreover the reference "...is chosen as a function of the desired maximum lateral displacement" does not give any clear technical delimitation as regards the length of the hollow tube

Form PCT/Separate Sheet/409 (Sheet 2) (EPO-January 2004)





:30 FAX +32 3 2135965 ARECEMSEAND +++ EOB DEN HALC

08.06.2005

International application PCT/ BE2004/000117 enclosure to letter dated 23-05-2005

BEST AVAILABLE COPY

. . .

CLAIMS

- 1. Device for treating breathing problems, comprising a shaped part (2) fitting onto the teeth of the lower jaw, a shaped part (1) fitting onto the teeth of the upper jaw, and adjustable connecting means between the upper and lower shaped part for forward/backward (P2) and upward/downward (P1) adjustment of the upper shaped part relative to the lower shaped part, wherein one of the shaped parts is provided at the front with a slide mechanism consisting of a slide element (8) which is slidable laterally to a limited extent along a guide element (9), and that the adjustable connecting means are fixedly connected to the other shaped part on one side and to the slide element (8) on the other, characterized in that the adjustable connecting means 15 comprise a horizontal adjusting screw (6) for forward/backward (P2) adjustment of the one shaped part relative to the other, which horizontal adjusting screw coacts on one outer end with a threaded passage (7) mounted on the slide element (8) said screw being connected by means of a connecting piece (14) with the adjustable connection means for the upward/downward adjustment.
 - 2. Device as claimed in claim 1, characterized in that the dimensions of the guide element (9) and the slide element (8) are closely-sized transversely of the guiding direction.
 - 3. Device as claimed in either of the foregoing claims, characterized in that the guide element is a rod mounted between two points of the one shaped part, and the slide element is a hollow tube slidable around this rod.
 - 4. Device as claimed in any of the foregoing claims, characterized in that the length of the hollow tube is chosen as a function of the desired maximum lateral displacement.
 - 5. Device as claimed in claim 4, characterized in that



94%

麗

AMENDED SHEET

P.56

20

25

30

Project 04:08-2005:30 FAI +32 3 2135965 ARNCHMSRAMD: +++ EOB DEN HAAC 08.06.2005 TI 13:20

2

the slide element can be snapped onto the guide element.

- characterized in that the adjustable connecting means comprise a substantially vertical adjusting screw (4) with double screw thread for upward/downward adjustment (P1) of the upper shaped part relative to the lower shaped part, which adjusting screw co-acts on one outer end with a first threaded bore (13) connected via the connecting piece (14) to the slide element, and which co-acts on its other outer end with a second threaded (13') bore provided on the front side of the other shaped part, wherein a rotation of the adjusting screw changes the distance between the lower and upper threaded bores.
- 7. Device as claimed in claim 6, characterized in that
 15 the adjusting screw (4) is provided substantially in the
 middle with an encircling flange (15) with radially directed
 openings (10) in which a rod (12) fits for the purpose of
 turning the adjusting screw through rotation of the rod.
- 8. Device as claimed in claim 6 or 7, characterized in 20 that the vertical adjusting screw is enclosed on both sides by telescopically acting tubes (15, 16).
- 9. Device as claimed in any of the claims 1-5, characterized in that the adjustable connecting means comprise a substantially vertical adjusting screw and a 25 threaded bore co-acting therewith for the upward/downward adjustment of the upper shaped part relative to the lower shaped part.
 - 10. Device as claimed in any of the claims 6-8, characterized in that the horizontal adjusting screw is provided on its other outer end with a screw head (11), and that the connecting piece (8) is provided with a horizontally oriented hole through which the horizontal adjusting screw extends.





BEST AVAILABLE COPY

04:08:2005:31 FAX +32 3 2135965 ARCLMSEAME +++ EOB DEN PARC 010 08:06.2005 11:13:51

3

11. Device as claimed in any of the foregoing claims, characterized in that the adjustable connecting means are at least partially received in a housing which is rounded on the outside.